




Vetro 40

Accessories for glass doors without piercing and high grip 40mm
Accessori per porte in vetro senza forature e pinza alta 40mm



Vetro 40

Sliding system for glass doors

Scorrevoli per porte in vetro

EN Accessories for glass doors without piercing and high grip 40mm.

IT Accessori per porte in vetro senza forature e pinza alta 40mm.

FR Accessoires pour portes en verre sans trous et pince de 40mm de hauteur.



DE Zubehörteile für Türen aus Glas ohne Bohrungen und hoher Zange 40mm.

ES Accesorios para puertas de vidrio sin perforaciones y pinza alta 40mm.




PATENTED


CLAMP 200 - PINZA DA 200



Position for coupling slide
Posizione per aggancio scorrevole



Position with slide coupled
Posizione con scorrevole agganciato



Trolley release
Sgancio scorrevole



8/8,7 ÷ 12/12,7 mm





80 ÷ 120 kg




10 mm

N°	Barcode		KG	→ ←	N°	Barcode		KG	→ ←
1	1280		80÷120		6	1686/443/80Y		80	
	1750					1688/707/80Y		80	
	1080		80÷120			1687/825/80Y		80	
	1690					1685/530/120M		120	
	1359		80÷120		7	1674		80÷120	
	1700		80÷120		8	1712/020		80÷120	
	1720		80÷120			1707		80÷120	8 mm (5/16")
	1261		80÷120	OPTIONAL		9	1704		80÷120
	1263		80÷120	OPTIONAL	1705			80÷120	12 mm (1/2")
	2	98/T		80÷120			1731		80÷120
3	84		80÷120		10	1733		80÷120	10 mm (3/8")
4	1683/T		80			1737		80÷120	12 mm (1/2")
5	1627/10		80			11	1701/8		80÷120
					1701/10			80÷120	10 mm (3/8")
					1701/12			80÷120	12 mm (1/2")
					12	1703		80÷120	


LONG CUSTOM - PINZA LUNGA



Position for coupling slide
Posizione per aggancio scorrevole



Position with slide coupled
Posizione con scorrevole agganciato



Trolley release
Sgancio scorrevole












8/8,7 ÷ 12/12,7 mm



80 ÷ 120 kg





10 mm

N°	Barcode		KG	→←	N°	Barcode		KG	→←
1	1712/A				3	1731		80÷120	8 mm (5/16")
	1720		80÷120						
	1712/060		80÷120						
	1712/070								
	1712/080								
	1712/090								
	1712/100								
1712/120									
1712/150									
2	1707		80÷120	8 mm (5/16")	3	1733		80÷120	10 mm (3/8")
	1704		80÷120	10 mm (3/8")					
	1705		80÷120	12 mm (1/2")					
						1737		80÷120	12 mm (1/2")

120 Max 120 Kg

Door thickness - 8/8,7 mm (5/16")
Spessore porta - 8/8,7 mm (5/16")








A Anodized silver
Anodizzato argento





ART. 1712

**BLISTER KIT
FOR COMBINATION WITH A
SLIDING DOOR KIT
INDICATED ON P. 128/129**

**KIT BLISTER
DA ABBINARE A
UN KIT SCORREVOLI
INDICATO A PAG. 128/129**

CODE		KIT IN BLISTER
1712/8/060/A	Min.600 mm Max.699 mm	
1712/8/070/A	Min.700 mm Max.799 mm	
1712/8/080/A	Min.800 mm Max.899 mm	
1712/8/090/A	Min.900 mm Max.999 mm	
1712/8/100/A	Min.1000 mm Max.1099 mm	
1712/8/120/A	Min.1200 mm Max.1299 mm	
1712/8/150/A	Min.1500 mm Max.1600 mm	



ART. 1703



ART. 1712

















Max 120 Kg



Door thickness - 8/8,7 mm (5/16")
 Spessore porta - 8/8,7 mm (5/16")



Anodized silver
 Anodizzato argento

CODE		KIT IN BLISTER
1712/8/060/AC	Min.600 mm Max.699 mm	 <p>(N°2)</p> 
1712/8/070/AC	Min.700 mm Max.799 mm	 <p>(N°2)</p> 
1712/8/080/AC	Min.800 mm Max.899 mm	 <p>(N°2)</p> 
1712/8/090/AC	Min.900 mm Max.999 mm	 <p>(N°2)</p> 
1712/8/100/AC	Min.1000 mm Max.1099 mm	 <p>(N°2)</p> 
1712/8/120/AC	Min.1200 mm Max.1299 mm	 <p>(N°2)</p> 
1712/8/150/AC	Min.1500 mm Max.1600 mm	 <p>(N°2)</p> 

**BLISTER KIT
 FOR COMBINATION WITH A
 SLIDING DOOR KIT
 INDICATED ON P. 128/129**

**KIT BLISTER
 DA ABBINARE A
 UN KIT SCORREVOLI
 INDICATO A PAG. 128/129**

Vetro 40

Glass Model 40 / Modello Vetro 40
Modèle Verre 40 / Glas 40 Modell / Modelo Vidrio 40





Max 120 Kg



Door thickness - 10/10,7 mm (3/8")
Spessore porta - 10/10,7 mm (3/8")

















Anodized silver
Anodizzato argento





ART. 1712

**BLISTER KIT
FOR COMBINATION WITH A
SLIDING DOOR KIT
INDICATED ON P. 128/129**

**KIT BLISTER
DA ABBINARE A
UN KIT SCORREVOLI
INDICATO A PAG. 128/129**

CODE		KIT IN BLISTER
1712/10/060/A	Min.600 mm Max.699 mm	 (N°2) 
1712/10/070/A	Min.700 mm Max.799 mm	 (N°2) 
1712/10/080/A	Min.800 mm Max.899 mm	 (N°2) 
1712/10/090/A	Min.900 mm Max.999 mm	 (N°2) 
1712/10/100/A	Min.1000 mm Max.1099 mm	 (N°2) 
1712/10/120/A	Min.1200 mm Max.1299 mm	 (N°2) 
1712/10/150/A	Min.1500 mm Max.1600 mm	 (N°2) 



ART. 1703



ART. 1712



Max 120 Kg



Door thickness - 10/10,7 mm (3/8")
 Spessore porta - 10/10,7 mm (3/8")



Anodized silver
 Anodizzato argento

CODE		KIT IN BLISTER
1712/10/060/AC	Min.600 mm Max.699 mm	
1712/10/070/AC	Min.700 mm Max.799 mm	
1712/10/080/AC	Min.800 mm Max.899 mm	
1712/10/090/AC	Min.900 mm Max.999 mm	
1712/10/100/AC	Min.1000 mm Max.1099 mm	
1712/10/120/AC	Min.1200 mm Max.1299 mm	
1712/10/150/AC	Min.1500 mm Max.1600 mm	

**BLISTER KIT
 FOR COMBINATION WITH A
 SLIDING DOOR KIT
 INDICATED ON P. 128/129**

**KIT BLISTER
 DA ABBINARE A
 UN KIT SCORREVOLI
 INDICATO A PAG. 128/129**





Max 120 Kg



Door thickness - 12/12,7 mm (1/2")
Spessore porta - 12/12,7 mm (1/2")

















Anodized silver
Anodizzato argento





ART. 1712

**BLISTER KIT
FOR COMBINATION WITH A
SLIDING DOOR KIT
INDICATED ON P. 128/129**

**KIT BLISTER
DA ABBINARE A
UN KIT SCORREVOLI
INDICATO A PAG. 128/129**

CODE		KIT IN BLISTER
1712/12/060/A	Min.600 mm Max.699 mm	 (N°2) 
1712/12/070/A	Min.700 mm Max.799 mm	 (N°2) 
1712/12/080/A	Min.800 mm Max.899 mm	 (N°2) 
1712/12/090/A	Min.900 mm Max.999 mm	 (N°2) 
1712/12/100/A	Min.1000 mm Max.1099 mm	 (N°2) 
1712/12/120/A	Min.1200 mm Max.1299 mm	 (N°2) 
1712/12/150/A	Min.1500 mm Max.1600 mm	 (N°2) 



ART. 1703



ART. 1712



Max 120 Kg



Door thickness - 12/12,7 mm (1/2")
 Spessore porta - 12/12,7 mm (1/2")










Anodized silver
 Anodizzato argento





CODE		KIT IN BLISTER
1712/12/060/AC	Min.600 mm Max.699 mm	<p>(N°2)</p>
1712/12/070/AC	Min.700 mm Max.799 mm	<p>(N°2)</p>
1712/12/080/AC	Min.800 mm Max.899 mm	<p>(N°2)</p>
1712/12/090/AC	Min.900 mm Max.999 mm	<p>(N°2)</p>
1712/12/100/AC	Min.1000 mm Max.1099 mm	<p>(N°2)</p>
1712/12/120/AC	Min.1200 mm Max.1299 mm	<p>(N°2)</p>
1712/12/150/AC	Min.1500 mm Max.1600 mm	<p>(N°2)</p>

**BLISTER KIT
 FOR COMBINATION WITH A
 SLIDING DOOR KIT
 INDICATED ON P. 128/129**


**KIT BLISTER
 DA ABBINARE A
 UN KIT SCORREVOLI
 INDICATO A PAG. 128/129**

CODE			KIT IN BOX
98/98/V40	80 ÷ 120 Kg	Min.600 mm (Min.640 mm - Art.1701)	 <p>8mm (5/16") 10mm (3/8") 12mm (1/2")</p>
1686/98/V40	80 Kg	Min.700 mm (Min.740 mm - Art.1701)	 <p>8mm (5/16") 10mm (3/8") 12mm (1/2")</p>
1683/1683/V40	80 Kg	Min.600 mm (Min.640 mm - Art.1701)	 <p>8mm (5/16") 10mm (3/8") 12mm (1/2")</p>
1686/1683/V40	80 Kg	Min.620 mm (Min.660 mm - Art.1701)	 <p>8mm (5/16") 10mm (3/8") 12mm (1/2")</p>
1688/V40	80 Kg	Min.732 mm (Min.772 mm - Art.1701)	 <p>8mm (5/16") 10mm (3/8") 12mm (1/2")</p>





ALUMINIUM TRACKS / BINARI IN ALLUMINIO








			
STANDARD	OPTIONAL		
ART. 1280	ART. 1080	ART. 1359	ART. 1700 - 1720





LOWER GUIDE GUIDE INFERIORI








ART. 1486/8/10/12

ALUMINIUM TRACKS / BINARI IN ALLUMINIO





			
ART. 1703	ART. 1690	ART. 1337	2,9x13
FIXING / FISSAGGIO ART. 1700			

CODE			KIT IN BOX
1687/V40	80 Kg	Min.850 mm (Min.890 mm - Art.1701)	 8mm (5/16") 10mm (3/8") 12mm (1/2")
1686/1686/V40	80 Kg	Min.920 mm (Min.960 mm - Art.1701)	 8mm (5/16") 10mm (3/8") 12mm (1/2")
1685/98/V40	120 Kg	Min.700 mm (Min.740 mm - Art.1701)	 8mm (5/16") 10mm (3/8") 12mm (1/2")
1685/1683/V40	120 Kg	Min.720 mm (Min.760 mm - Art.1701)	 8mm (5/16") 10mm (3/8") 12mm (1/2")
1685/1685/V40	120 Kg	Min.1094 mm (Min.1154 mm - Art.1701)	 8mm (5/16") 10mm (3/8") 12mm (1/2")





ALUMINIUM TRACKS / BINARI IN ALLUMINIO			
			
	STANDARD		OPTIONAL
	ART. 1280	ART. 1080	ART. 1359 ART. 1700 - 1720

LOWER GUIDE GUIDE INFERIORI	ALUMINIUM TRACKS / BINARI IN ALLUMINIO		
			
	ART. 1486/8/10/12	ART. 1703	ART. 1690
			
		ART. 1337	2.9x13 OPTIONAL
		FIXING / FISSAGGIO ART. 1700	


SIZE DESCRIPTION / DESCRIZIONE MISURE




SIZE DESCRIPTION / DESCRIZIONI MISURE



ALUMINIUM TRACKS / BINARI IN ALLUMINIO



ART. 1280



ART. 1750



ART. 1770



ART. 1690



ART. 1740 (10 mm - 3/8")



ART. 1738 (8 mm - 5/16")


SEAL / GUARNIZIONE























ART. 324
KIT=10 mt























ART. 266
KIT=10 mt



OPTIONAL
ART. 1735

CODE			ACCESSORIES FOR KITS OF PAGE 128-129 / ACCESSORI PER I KIT DI PAG. 128-129		
1712/8/020/A	120 Kg	8/8,7 mm (5/16")			
1712/10/020/A	120 Kg	10/10,7 mm (3/8")			
1712/12/020/A	120 Kg	12/12,7 mm (1/2")			
1712/8/020/AC	120 Kg	8/8,7 mm (5/16")			
1712/10/020/AC	120 Kg	10/10,7 mm (3/8")			
1712/12/020/AC	120 Kg	12/12,7 mm (1/2")			

CODE			KIT FOR COUNTERFRAMES / KIT PER CONTROTELAI		
1712/8/020/ASB	120 Kg	8/8,7 mm (5/16")			
1712/10/020/ASB	120 Kg	10/10,7 mm (3/8")			
1712/12/020/ASB	120 Kg	12/12,7 mm (1/2")			
1712/8/020/ACSB	120 Kg	8/8,7 mm (5/16")			
1712/10/020/ACSB	120 Kg	10/10,7 mm (3/8")			
1712/12/020/ACSB	120 Kg	12/12,7 mm (1/2")			



www.ternoscorrevoli.com/vetro-40