

IR 2.0

SET-UP SWITCH:

Preset configuration: **LIMIT SWITCH**

- x1" (💡 no) ON/OFF
- x5" (💡 x2) ON-OFF DIMMER SWITCH
- x5" (💡 x2) ON/OFF
- x1" (💡 no) LIMIT SWITCH

Preset configuration: **ON-OFF DIMMER SWITCH**



- x5" (💡 x2) ON/OFF
- x1" (💡 no) LIMIT SWITCH
- x1" (💡 no) ON/OFF
- x5" (💡 x2) ON-OFF DIMMER SWITCH

IR 2.0

ON

Off

DIMMER







IR 2.0






Material	Finish	H max.	H min.
laminated	dark oak	20-30mm	1mm
varnished	bright white	80-100mm	1mm
wood	natural	60-80mm	1mm



IR 2.0 (12V)




IR 2.0 (24V)



IR 2.0








IR 3.0



IR 3.0





Material	Finish	H max.	H min.
laminate	dark oak	100-150mm	2mm
varnished	bright white	250-300mm	2mm
wood	natural	150-200mm	2mm
glass	smoke	100-150mm	2mm
glass	transparent	100-150mm	2mm



IR 3.0



IR 3.0






IR 3.0







IR 4.0

36W 12Vdc | 72W 24Vdc




Material	Finish	D max.	D min.
laminate	dark oak	100mm	0mm
varnished	bright white	250mm	0mm
wood	natural	150mm	0mm
glass	smoke	100mm	0mm
glass	transparent	100mm	0mm







IR 4.0 24Vdc



IR 4.0 12Vdc



IR 4.0



IR 4.0

